

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2018-02-06	No	2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2019-03-08	No	4-204.117.(A)	Ware washing machine not equipped to automatically dispense detergent and sanitizer.	N
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2019-11-21	No	4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.16	Mops are not being properly stored.	N
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2021-04-27	No	6-501.16	Mops are not being properly stored.	N
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2022-03-10	No	4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				3-501.17.(B). (E).(F)	Refrigerated, Ready-to-Eat PHF prepared and packaged by a Food processing Plant not clearly date marked according to code at the time the original container was opened and held for more than 24 hours.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				3-501.13	Improper thawing.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				5-501.16.(C)	A waste receptacle is not located at each hand washing lavatory or group of adjacent lavatories when disposable towels are used.	N
				6-501.16	Mops are not being properly stored.	N
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2023-02-13	No	2-402.11	Food Employees not wearing effective hair restraints.	N
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-302.14	No chemical test kit available.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
WASHBURN DISTRICT ELEMENTARY SCHOOL	REGULAR	2023-10-25	No	3-501.13	Improper thawing.	N
				3-306.11	Food on display not protected by packaging, service line, food guards, or display cases.	C
				6-404.11	Distressed merchandise improperly stored.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.110	Dressing rooms / lockers not used.	N