

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
UNE WESTBROOK COLLEGE-PORTLAND CAMPUS	REGULAR	2018-04-04	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				4-903.11.(D)	Clean equipment and utensils, laundered linens stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
UNE WESTBROOK COLLEGE-PORTLAND CAMPUS	REGULAR	2018-10-23	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-903.11.(A). (C)	Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
UNE WESTBROOK COLLEGE-PORTLAND CAMPUS	REGULAR	2019-04-09	No	4-501.11	Equipment in disrepair.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
UNE PORTLAND CAMPUS	NEWOWNER	2019-08-21	No		No Violations	
UNE WESTBROOK COLLEGE-PORTLAND CAMPUS	REGULAR	2020-02-05	No	5-205.11.(A)	Hand wash facility not accessible.	N
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.12	Ventilation may cause food contamination.	N
UNE WESTBROOK COLLEGE-PORTLAND CAMPUS	REGULAR	2022-02-08	No	4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-501.11	Equipment in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
UNE WESTBROOK COLLEGE- PORTLAND CAMPUS	REGULAR	2023-03-08	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
UNE WESTBROOK COLLEGE- PORTLAND CAMPUS	REGULAR	2023-09-08	No	3-304.12	Improper between-use storage of in-use utensils.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.14.(A)	Ventilation not clean.	N
UNE WESTBROOK COLLEGE- PORTLAND CAMPUS	REGULAR	2024-01-25	No	3-501.18.(A)	PHF, Ready-to-Eat food not discarded when food exceeds temperature and time combination as specified in 3-501.17.(A).	C
				7-201.11	Improper storage of poisonous or toxic materials.	C