

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|----------------|------------|-------|------------------|--|----------|
| CHINA ROSE | NEWOWNER | 2019-04-30 | Yes | 5-203.11 | Inadequate number of hand wash facilities. | C |
| | | | | 3-202.15 | Food packages are not in good condition and do not protect the integrity of the contents. | C |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 6-202.15 | Outer openings are not protected from the entry of insects or rodents. | N |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 3-304.12 | Improper between-use storage of in-use utensils. | N |
| | | | | 4-601.11.(C) | Nonfood contact surfaces are not clean. | C |
| | | | | 6-201.11 | Floors, walls, and ceilings are not smooth and easily cleanable. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |
| CHINA ROSE | FOLLOW_UP_FULL | 2019-05-10 | No | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| CHINA ROSE | REGULAR | 2023-10-03 | No | 5-204.11.(A) | Hand wash facilities are not conveniently located in food preparation, food dispensing, or ware washing areas. | C |
| | | | | 5-205.11.(A) | Hand wash facility not accessible. | N |
| | | | | 6-301.11 | Hand cleanser not available at hand wash sink or lavatory. | N |
| | | | | 6-301.12 | Sanitary towels / hand drying device not provided for hand wash sink or lavatory. | N |
| | | | | 4-602.11.(E) | Non-potentially hazardous food contact surfaces are not cleaned with proper frequency. | N |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |
| | | | | 6-501.12 | The physical facilities are not clean. | N |