

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CHEBEAGUE ISLAND INN	REGULAR	2019-09-06	No	6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				6-501.111.(D)	Pests found on premises due to not eliminating harborage conditions.	C
				5-402.11	There is a direct connection between the sewage system and a drain originating from Equipment in which Food, portable equipment or Utensils are placed	C
				5-501.110	Refuse, Recyclables, and Returnables accessible to insects / rodents.	N
				5-501.115	Refuse areas and enclosures not maintained free of unnecessary items or not kept clean.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.12	Utility lines and pipes were installed unnecessarily exposed as to obstruct or prevent cleaning of floors, walls, or ceilings, or installed on the floor.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
CHEBEAGUE ISLAND INN	REGULAR	2019-09-06	No	8-A.(2)	The premises is in unacceptable condition.	N