

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|--------------------|------------|------------|-------|-----------------------|--|----------|
| AMAZING GARDEN | REGULAR | 2019-02-07 | No | 4-501.114.(A). (1) | Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration. | C |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 3-501.17.(C) | Refrigerated, Ready-to-Eat PHF ingredient or portion thereof that is combined with additional ingredients or portions of food has not retained a date marking of the earliest prepared or first-prepared ingredient. | C |
| | | | | 4-302.12.(A) | Inadequate number of food temperature measuring devices provided. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 6-202.12 | Ventilation may cause food contamination. | N |
| AMAZING GARDEN | REGULAR | 2021-12-09 | No | 6-301.12 | Sanitary towels / hand drying device not provided for hand wash sink or lavatory. | N |
| | | | | 3-501.14.(B) | PHF not being cooled within 4 hours to 41 F or less when being prepared from ingredients at ambient temperature. | C |
| | | | | 4-204.112.(A) | Temperature measuring device not properly located. | N |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 3-304.14.(B).(1) | Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer. | N |
| | | | | 4-903.11.(A) | Equipment, Utensils, Linens are improperly stored. | N |
| | | | | 4-903.11.(D) | Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 6-501.11 | The physical facilities are in disrepair. | N |
| | | | | 6-501.14.(A) | Ventilation not clean. | N |