

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|-------------------------|------------|------------|-------|-----------------------|---|----------|
| FORESIDE HOUSE OF PIZZA | REGULAR | 2019-12-10 | No | 4-501.114.(C). (2) | Quaternary ammonium compound solution concentration is too low or too high. | C |
| | | | | 4-601.11.(C) | Nonfood contact surfaces are not clean. | C |
| FORESIDE HOUSE OF PIZZA | REGULAR | 2023-05-15 | Yes | 6-301.12 | Sanitary towels / hand drying device not provided for hand wash sink or lavatory. | N |
| | | | | 5-203.11 | Inadequate number of hand wash facilities. | C |
| | | | | 4-601.11.(A) | Equipment food-contact surfaces and utensils are not clean to sight and touch. | C |
| | | | | 4-501.114.(C). (2) | Quaternary ammonium compound solution concentration is too low or too high. | C |
| | | | | 3-501.16.(A).(2) | PHF not maintained at 41 F or less. | C |
| | | | | 4-202.16 | Non-food contact surfaces are improperly designed and constructed. | N |
| | | | | 4-302.14 | No chemical test kit available. | N |
| | | | | 4-602.13 | Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues. | N |
| | | | | 6-501.114 | The premises is littered / unnecessary equipment and articles present. | N |
| | | | | 6-201.13.(A) | Floor and wall junctures are not enclosed and sealed. | N |
| | | | | 6-201.11 | Floors, walls, and ceilings are not smooth and easily cleanable. | N |