

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
FORESIDE HOUSE OF PIZZA	REGULAR	2019-12-10	No	4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
FORESIDE HOUSE OF PIZZA	REGULAR	2023-05-15	Yes	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				5-203.11	Inadequate number of hand wash facilities.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-202.16	Non-food contact surfaces are improperly designed and constructed.	N
				4-302.14	No chemical test kit available.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N