

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
AMATOS	REGULAR	2018-01-25	No	6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-202.16	Non-food contact surfaces are improperly designed and constructed.	N
				5-203.13	Inadequate number of service sinks.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.12	Ventilation may cause food contamination.	N
AMATOS	REGULAR	2023-02-18	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N