

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
HARRASEEKET INN	REGULAR	2023-03-07	No	11-A.(4)	There are openings to the outside that are not effectively protected against the entrance of rodents.	C
				2-B.(1)	The floors, walls, ceilings, windows and ventilation in common areas associated with sleeping rooms are not clean and/or not properly maintained.	N
				2-A.(8)	Torn and/or soiled bedding, mattresses, sheets or pillowcases are being used.	N
HARRASEEKET INN	REGULAR	2023-03-07	Yes	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				7-202.12.(A). (B)	Poisonous or toxic materials are being improperly used / applied.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				3-305.11	Food not protected from contamination during storage.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-202.13	Air gap required.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.16	Mops are not being properly stored.	N
HARRASEEKET INN	REGULAR	2023-04-04	No	6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
HARRASEEKET INN	REGULAR	2023-04-05	No		No Violations	
HARRASEEKET INN	REGULAR	2023-05-10	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-203.11	Food temperature measuring device(s) not accurate for its intended range of use.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-204.13.(A). (B).(C).(D)	Dispensing equipment is improperly designed and constructed.	N
				4-501.11	Equipment in disrepair.	N
				5-202.13	Air gap required.	C
				6-201.17	Walls and ceiling attachments are not easily cleanable.	N
HARRASEEKET INN	REGULAR	2023-05-10	No	11-A.(4)	There are openings to the outside that are not effectively protected against the entrance of rodents.	C
HARRASEEKET INN	NEWOWNER	2023-06-05	No	5-203.11	Inadequate number of hand wash facilities.	C
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-202.13	Air gap required.	C
HARRASEEKET INN	NEWOWNER	2023-06-05	No	11-A.(4)	There are openings to the outside that are not effectively protected against the entrance of rodents.	C
				2-A.(11)	Evidence of roaches, flies, vermin or other pests is present.	N