

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ENFIELD STATION SCHOOL	REGULAR	2018-12-07	No	6-501.11	The physical facilities are in disrepair.	N
ENFIELD STATION SCHOOL	REGULAR	2019-11-06	No	4-501.11	Equipment in disrepair.	N
				6-501.11	The physical facilities are in disrepair.	N
ENFIELD STATION SCHOOL	REGULAR	2021-04-30	No	4-903.11.(A). (C)	Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used.	N
				6-501.11	The physical facilities are in disrepair.	N
ENFIELD STATION SCHOOL	REGULAR	2022-03-23	No	7-201.11	Improper storage of poisonous or toxic materials.	C
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-903.11.(A). (C)	Single service/ single use items improperly stored or kept in the original package or stored by using other means that afford protection from contamination until used.	N
				6-501.11	The physical facilities are in disrepair.	N
ENFIELD STATION SCHOOL	REGULAR	2022-11-18	No	4-203.13	Pressure measuring device that displays the pressure in the water supply line for the fresh hot water sanitizing rinse is not accurate to code or within the range indicated on the manufacturer's data plate.	N
				6-501.11	The physical facilities are in disrepair.	N
ENFIELD STATION SCHOOL	REGULAR	2024-03-22	No		No Violations	