

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
LIMESTONE COUNTRY CLUB	REGULAR	2018-07-30	No	2-102.12	No Certified Food Protection Manager.	N
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-302.14	No chemical test kit available.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
LIMESTONE COUNTRY CLUB	NEWOWNER	2020-06-30	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-302.14	No chemical test kit available.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
LIMESTONE COUNTRY CLUB	REGULAR	2022-07-21	No	2-201.11.(A)	The person in charge failed to require food employees to submit required information.	C
				2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				7-209.11	Employees are not storing their personal care items in facilities as specified under 6-305.11.(B).	N
				4-203.12.(B)	Ambient air and water temperature measuring device is not accurate. (Scaled to Fahrenheit)	N
				3-302.12	Food/ingredients containers not properly labeled.	N
				3-307.11	Food not protected from other sources of contamination.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				4-301.14	Ventilation hood systems not adequate.	N