

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THREE DOLLAR DEWEYS	REGULAR	2018-02-06	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-305.11	Food not protected from contamination during storage.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N
THREE DOLLAR DEWEYS	NEWOWNER	2019-02-20	No		No Violations	
THREE DOLLAR DEWEYS	REGULAR	2019-05-10	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				3-203.12	Shell stock identification not properly maintained.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
THREE DOLLAR DEWEYS	REGULAR	2019-11-26	No	4-204.112.(A)	Temperature measuring device not properly located.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
THREE DOLLAR DEWEYS	REGULAR	2021-12-16	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				6-501.12	The physical facilities are not clean.	N
THREE DOLLAR DEWEYS	REGULAR	2022-11-29	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				4-402.12	Fixed equipment not sealed to floor or properly elevated.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				5-501.110	Refuse, Recyclables, and Returnables accessible to insects / rodents.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
THREE DOLLAR DEWEYS	REGULAR	2023-08-09	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				6-501.11	The physical facilities are in disrepair.	N
THREE DOLLAR DEWEYS	REGULAR	2024-02-21	No	3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C