

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DRIFTWOOD INN & RESORT	REGULAR	2018-08-14	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-302.14	No chemical test kit available.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
DRIFTWOOD INN & RESORT	REGULAR	2018-08-14	No	2-A.(9)	The floors, walls, and ceilings of bedrooms, closets, and storage areas are not clean and/or not maintained.	N
DRIFTWOOD INN & RESORT	REGULAR	2023-09-06	Yes	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				7-102.11	Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies are not clearly and individually identified with the common name of the material.	C
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				6-501.115	There are live animal(s) on the premises.	C
				3-305.11	Food not protected from contamination during storage.	N
				3-307.11	Food not protected from other sources of contamination.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-904.11.(A). (C)	Single service/use items are improperly handled/stored/displayed/dispensed.	N
				4-501.11	Equipment in disrepair.	N
				4-302.14	No chemical test kit available.	N
				5-501.113.(A)	Receptacles used inside that contain food residue not kept covered when not in continuous use or when filled.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
DRIFTWOOD INN & RESORT	FOLLOW_UP_FULL	2023-10-13	Yes	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				6-501.115	There are live animal(s) on the premises.	C
				3-307.11	Food not protected from other sources of contamination.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-501.11	Equipment in disrepair.	N
				4-302.14	No chemical test kit available.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.114	The premises is littered / unnecessary equipment and articles present.	N
				6-501.12	The physical facilities are not clean.	N
DRIFTWOOD INN & RESORT	REGULAR	2023-10-13	No	11-A.(4)	There are openings to the outside that are not effectively protected against the entrance of rodents.	C
				11-A.(3)	Screen doors to the outer air are not self-closing; and screens for windows, doors, skylights, transoms, and other openings to the outer air are not tight-fitting and free of breaks.	N
				11-B.(1)	There are live animals present that are not under the animal owner's control.	C
				4-A.(1)	Establishment is not in compliance with NFPA 101 Life Safety Code.	C
				2-A.(9)	The floors, walls, and ceilings of bedrooms, closets, and storage areas are not clean and/or not maintained.	N
				2-C.(7)	Toilet facilities, including the toilet room and fixtures, are not properly maintained, clean, adequately vented, and/or free of objectionable odors.	N