

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
STEPHENS MEMORIAL HOSPITAL CAFE	REGULAR	2019-01-22	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.15	Cooked foods improperly cooled.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-501.14.(A)	Ventilation not clean.	N
STEPHENS MEMORIAL HOSPITAL CAFE	REGULAR	2022-08-23	No	3-101.11	Food is adulterated, not safe or honestly presented.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-501.11	Equipment in disrepair.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.14.(A)	Ventilation not clean.	N