

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
KOBE BUDDHA HOUSE	REGULAR	2018-02-21	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.11.(A)	Food contact surfaces are not cleaned between uses.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-205.15	Plumbing system not properly maintained in good repair.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.14.(A)	Ventilation not clean.	N
KOBE BUDDHA HOUSE	REGULAR	2019-04-16	No	4-602.11.(A)	Food contact surfaces are not cleaned between uses.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-307.11	Food not protected from other sources of contamination.	N
				3-305.11	Food not protected from contamination during storage.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
KOBE BUDDHA HOUSE	REGULAR	2021-05-13	Yes	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.11.(A)	Food contact surfaces are not cleaned between uses.	C
				4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				3-305.11	Food not protected from contamination during storage.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				4-204.11	Ventilation Hood System does not prevent dripping.	N
KOBE BUDDHA HOUSE	REGULAR	2022-01-10	Yes	2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.11.(A)	Food contact surfaces are not cleaned between uses.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-202.13	Insect control devices are improperly designed and constructed / located.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-102.11.(B).(1)	Single-service and single-use articles are not safe.	C
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				5-203.14	Backflow prevention device not installed when required.	C
				5-501.115	Refuse areas and enclosures not maintained free of unnecessary items or not kept clean.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				5-501.116	Receptacles are not properly cleaned.	N
				5-501.113.(B)	Receptacles used outside that contain food residue not kept covered with tight-fitting lids or doors.	N
				6-501.11	The physical facilities are in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N
				6-501.14.(A)	Ventilation not clean.	N
KOBE BUDDHA HOUSE	FOLLOW_UP_FULL	2022-02-02	Yes	2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.11.(A)	Food contact surfaces are not cleaned between uses.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-305.11	Food not protected from contamination during storage.	N
				2-402.11	Food Employees not wearing effective hair restraints.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				6-501.12	The physical facilities are not clean.	N
				6-303.11	Insufficient lighting provided.	N
KOBE BUDDHA HOUSE	REGULAR	2022-03-23	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-305.11	Food not protected from contamination during storage.	N
KOBE BUDDHA HOUSE	REGULAR	2022-05-11	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-305.11	Food not protected from contamination during storage.	N
KOBE BUDDHA HOUSE	REGULAR	2022-06-14	No	3-305.11	Food not protected from contamination during storage.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
KOBE BUDDHA HOUSE	REGULAR	2022-07-25	No	3-305.11	Food not protected from contamination during storage.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
KOBE BUDDHA HOUSE	REGULAR	2022-11-22	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-801.11	Linens are not free of food residues and other soiling matter.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-501.110	Refuse, Recyclables, and Returnables accessible to insects / rodents.	N
KOBE BUDDHA HOUSE	REGULAR	2023-03-08	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
KOBE BUDDHA HOUSE	REGULAR	2023-06-07	No	6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				3-501.13	Improper thawing.	N
				3-305.11	Food not protected from contamination during storage.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
KOBE BUDDHA HOUSE	REGULAR	2023-09-13	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				6-501.12	The physical facilities are not clean.	N