

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
KARENS MAIN STREET DINER	REGULAR	2020-01-06	No	2-102.12	No Certified Food Protection Manager.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
KARENS MAIN STREET DINER	REGULAR	2021-12-09	No	5-203.11	Inadequate number of hand wash facilities.	C
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				4-501.11	Equipment in disrepair.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.12	Ventilation may cause food contamination.	N
KARENS MAIN STREET DINER	REGULAR	2023-12-28	No	4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-501.11	Equipment in disrepair.	N
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N