

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
SUPER SIZE	REGULAR	2018-06-01	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-101.11.(A)	Material used in construction of utensils or food contact surfaces of equipment is not safe.	C
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-303.11	Insufficient lighting provided.	N
SUPER SIZE	REGULAR	2018-06-29	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				4-302.12.(A)	Inadequate number of food temperature measuring devices provided.	N
				3-302.12	Food/ingredients containers not properly labeled.	N
				6-501.11	The physical facilities are in disrepair.	N
SUPER SIZE	REGULAR	2019-06-28	No	6-501.11	The physical facilities are in disrepair.	N
SUPER SIZE	REGULAR	2021-09-17	No	5-205.11.(A)	Hand wash facility not accessible.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
SUPER SIZE	REGULAR	2023-07-07	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C