

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ELEVATION BURGER	REGULAR	2018-04-09	No	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
				6-501.16	Mops are not being properly stored.	N
ELEVATION BURGER	REGULAR	2018-10-16	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.12	The physical facilities are not clean.	N
ELEVATION BURGER	REGULAR	2019-04-10	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
ELEVATION BURGER	REGULAR	2019-10-21	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
ELEVATION BURGER	REGULAR	2021-08-03	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-501.11	Equipment in disrepair.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-501.12	The physical facilities are not clean.	N
ELEVATION BURGER	REGULAR	2022-03-22	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-201.11	Equipment and/or utensils are not sufficiently durable.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.12	Ventilation may cause food contamination.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ELEVATION BURGER	REGULAR	2023-03-21	No	4-501.114.(C). (2)	Quaternary ammonium compound solution concentration is too low or too high.	C
				4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				6-501.14.(A)	Ventilation not clean.	N
ELEVATION BURGER	REGULAR	2024-03-25	No	4-204.112.(A)	Temperature measuring device not properly located.	N
				3-304.12	Improper between-use storage of in-use utensils.	N