

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
21 TAPS	REGULAR	2019-05-21	No	4-501.11	Equipment in disrepair.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
COWBELL - SCARBOROUGH	REGULAR	2020-09-10	No	2-103.11.(H)	Person in Charge did not ensure that employees are cooling food properly.	N
				5-205.11.(A)	Hand wash facility not accessible.	N
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.12	Sanitary towels / hand drying device not provided for hand wash sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-702.11	Food contact surfaces not sanitized before use after cleaning.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				3-304.12	Improper between-use storage of in-use utensils.	N
				5-402.14	Sewage / liquid waste not properly removed.	N
				5-501.110	Refuse, Recyclables, and Returnables accessible to insects / rodents.	N
				5-501.115	Refuse areas and enclosures not maintained free of unnecessary items or not kept clean.	N
				6-501.12	The physical facilities are not clean.	N
COWBELL - SCARBOROUGH	REGULAR	2023-05-23	No	4-501.12	Cutting surfaces not easily cleanable.	N
				5-203.14	Backflow prevention device not installed when required.	C
				6-501.11	The physical facilities are in disrepair.	N
				6-501.16	Mops are not being properly stored.	N
				6-202.11	Lights not shielded.	N