

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CONGRESS BAR & GRILL	REGULAR	2018-07-25	Yes	2-102.11.(C). (2).(3).(17)	Person In Charge could not respond correctly to questions regarding areas of knowledge dealing with employee health.	C
				3-304.11	Food not contacting only clean equipment and utensils.	C
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-501.114.(A). (1)	Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.15	Cooked foods improperly cooled.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				4-501.11	Equipment in disrepair.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-501.17	Covered receptacle not provided. (Female use)	N
				5-502.11	Refuse, recyclables, and returnables not removed from the premises at a frequency that will minimize odors or attract or harbor insects and rodents.	N
				6-501.12	The physical facilities are not clean.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.14.(A)	Ventilation not clean.	N
CONGRESS BAR & GRILL	FOLLOW_UP_FULL	2018-08-16	No	6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				4-501.11	Equipment in disrepair.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.12	The physical facilities are not clean.	N
CONGRESS BAR & GRILL	REGULAR	2018-12-26	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-501.114.(A). (1)	Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration.	C
				4-501.11	Equipment in disrepair.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.12	The physical facilities are not clean.	N
				6-303.11	Insufficient lighting provided.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CONGRESS BAR & GRILL	REGULAR	2019-04-24	No	4-501.114.(A). (1)	Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				4-501.11	Equipment in disrepair.	N
				4-101.11.(D)	Utensils or equipment food contact surfaces not smooth / easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-303.11	Insufficient lighting provided.	N
CONGRESS BAR & GRILL	REGULAR	2019-12-17	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
CONGRESS BAR & GRILL	REGULAR	2021-08-10	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				3-305.14	Unpackaged food not protected during preparation.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.12	The physical facilities are not clean.	N
				6-303.11	Insufficient lighting provided.	N
CONGRESS ST BAR & GRILL	REGULAR	2022-09-22	No	4-501.114.(A). (1)	Dishes/utensils are not being sanitized in water with the correct chlorine sanitizer concentration.	C
				3-603.11.(A)	There is no consumer advisory.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-501.12	The physical facilities are not clean.	N
				6-303.11	Insufficient lighting provided.	N
CONGRESS ST BAR & GRILL	REGULAR	2023-04-20	No	3-501.17.(D)	Date marking system used at the Eating Establishment does not meet the criteria list in code.	C
				6-202.13	Insect control devices are improperly designed and constructed / located.	N
				6-501.12	The physical facilities are not clean.	N
				6-303.11	Insufficient lighting provided.	N