

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THE SPURWINK SCHOOL	REGULAR	2018-01-22	No	4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-501.17	Covered receptacle not provided. (Female use)	N
THE SPURWINK SCHOOL	REGULAR	2019-01-18	No		No Violations	
THE SPURWINK SCHOOL	REGULAR	2020-01-28	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
THE SPURWINK SCHOOL	REGULAR	2022-02-07	No		No Violations	
THE SPURWINK SCHOOL	REGULAR	2023-03-08	No	4-602.12.(C)	The cavities and door seals of microwave ovens are not cleaned with proper frequency.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
THE SPURWINK SCHOOL	REGULAR	2024-01-08	No		No Violations	