

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
FIELDERS CHOICE	REGULAR	2018-07-30	No	3-202.15	Food packages are not in good condition and do not protect the integrity of the contents.	C
				4-203.11	Food temperature measuring device(s) not accurate for its intended range of use.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-102.11	Outdoor areas are not properly constructed.	N
FIELDERS CHOICE	REGULAR	2019-07-17	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				3-202.15	Food packages are not in good condition and do not protect the integrity of the contents.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				6-102.11	Outdoor areas are not properly constructed.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
FIELDERS CHOICE	REGULAR	2023-10-25	No		No Violations	
FIELDERS CHOICE	NEWOWNER	2024-02-06	No	4-204.112.(D)	Temperature measuring devices are not easily readable.	N