

| Establishment Name | Insp. Type | Insp. Date | Fail? | Rule Cited | Description of Violation | Severity |
|-----------------------------------|------------|------------|-------|--------------|---|----------|
| LAS PALAPAS II MEXICAN RESTAURANT | REGULAR | 2018-11-06 | No | 2-401.11 | Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result. | C |
| | | | | 4-302.12.(A) | Inadequate number of food temperature measuring devices provided. | N |
| | | | | 3-303.11 | Ice used as exterior coolant being used as an ingredient. | C |
| LAS PALAPAS II MEXICAN RESTAURANT | REGULAR | 2021-05-20 | No | 2-401.11 | Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result. | C |
| | | | | 5-205.11.(A) | Hand wash facility not accessible. | N |
| | | | | 3-501.17.(D) | Date marking system used at the Eating Establishment does not meet the criteria list in code. | C |
| | | | | 3-305.11 | Food not protected from contamination during storage. | N |
| | | | | 6-201.11 | Floors, walls, and ceilings are not smooth and easily cleanable. | N |
| | | | | 6-201.17 | Walls and ceiling attachments are not easily cleanable. | N |