

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
BUENO LOCO	REGULAR	2019-10-21	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-204.112.(B).(C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-501.12	Cutting surfaces not easily cleanable.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				5-402.11	There is a direct connection between the sewage system and a drain originating from Equipment in which Food, portable equipment or Utensils are placed	C
				6-501.12	The physical facilities are not clean.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-303.11	Insufficient lighting provided.	N
BUENO LOCO	FOLLOW_UP_FULL	2019-11-22	No	4-501.12	Cutting surfaces not easily cleanable.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-303.11	Insufficient lighting provided.	N
BUENO LOCO RESTAURANT	REGULAR	2022-05-03	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.112	Dead or trapped birds, rodents, or insects not removed from control devices and the premises at a frequency that prevents their accumulation, decomposition, or the attraction of pests.	N
				4-501.11	Equipment in disrepair.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-501.12	The physical facilities are not clean.	N
				6-202.11	Lights not shielded.	N