

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
THE BLACK BOAR INN	REGULAR	2019-04-22	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				5-203.11	Inadequate number of hand wash facilities.	C
				4-301.12.(A)	A manual ware washing sink with at least three compartments not provided.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				6-202.14	Toilet room not enclosed, with a self closing, tight fitting door.	N
THE BLACK BOAR INN	REGULAR	2019-05-29	No		No Violations	
THE BLACK BOAR INN	REGULAR	2019-09-26	No		No Violations	
THE BLACK BOAR INN	NEWOWNER	2023-05-24	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
THE BLACK BOAR INN	NEWOWNER	2023-05-24	No	9-A.(6)	No Material Safety Data Sheet available on the premises.	N
				2-A.(3)	Where only natural ventilation is provided, outside openings are not adequately screened.	N