

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
CAMDEN HILLS REGIONAL HS	REGULAR	2018-01-12	No	4-501.112	Unacceptable hot water sanitization temperature(s) for mechanical ware washing.	N
				4-601.11.(B)	Food contact surfaces of cooking equipment not clean.	C
CAMDEN HILLS REGIONAL HS	REGULAR	2018-11-15	No	6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
CAMDEN HILLS REGIONAL HS	REGULAR	2019-12-04	No	5-202.12	Hand washing facility not properly equipped/installed with hot water of at least 100 F.	N
CAMDEN HILLS REGIONAL HS	REGULAR	2021-06-03	No		No Violations	
CAMDEN HILLS REGIONAL HS	REGULAR	2022-01-18	No	4-204.115	Ware washing machine not properly equipped with temperature measuring devices.	N
CAMDEN HILLS REGIONAL HS	REGULAR	2024-02-13	No	4-501.112	Unacceptable hot water sanitization temperature(s) for mechanical ware washing.	N
				5-402.11	There is a direct connection between the sewage system and a drain originating from Equipment in which Food, portable equipment or Utensils are placed	C