

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ME MEDICAL CTR - BRIGHTON CAMPUS	REGULAR	2018-06-14	No	3-306.13.(B)	Unacceptable utensils/dispensing methods at consumer self-service operation.	C
				3-302.15.(A)	Fruits/vegetables not washed.	N
				4-101.19	Nonfood contact surfaces of equipment that requires frequent cleaning not constructed of a corrosion-resistant, nonabsorbent, and smooth material.	N
ME MEDICAL CTR - BRIGHTON CAMPUS	REGULAR	2019-06-06	No		No Violations	
ME MEDICAL CTR - BRIGHTON CAMPUS	REGULAR	2021-08-30	No	3-302.11.(A). (1).(A)	Raw Ready-to-Eat food not protected from cross contamination from raw animal foods during storage, preparation, holding, or display.	N
				4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
ME MEDICAL CTR - BRIGHTON CAMPUS	REGULAR	2023-09-12	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				3-202.15	Food packages are not in good condition and do not protect the integrity of the contents.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.14.(A)	Ventilation not clean.	N