

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
COWBELLS HOSPITALITY	REGULAR	2019-08-12	No	3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-501.12	Cutting surfaces not easily cleanable.	N
				6-501.11	The physical facilities are in disrepair.	N
COWBELLS HOSPITALITY	REGULAR	2021-11-03	No	5-205.11.(A)	Hand wash facility not accessible.	N
				3-305.12	Food being stored in prohibited area(s).	N
				4-903.11.(A)	Equipment, Utensils, Linens are improperly stored.	N
COWBELLS HOSPITALITY	REGULAR	2022-11-02	Yes	2-401.11	Food employee is eating, drinking, or using any tobacco where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection can result.	C
				6-301.11	Hand cleanser not available at hand wash sink or lavatory.	N
				6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				6-501.111.(B)	Not routinely inspecting premises for evidence of pests.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				3-305.11	Food not protected from contamination during storage.	N
				3-307.11	Food not protected from other sources of contamination.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
				3-304.12	Improper between-use storage of in-use utensils.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
				4-501.116	Chemical sanitizer concentration was not accurately determined by using a test kit or other device.	N
				5-202.11.(A)	Plumbing improperly installed/maintained. (Unacceptable system)	C
				5-403.12	Non-sewage liquids not properly drained.	N

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
				5-501.110	Refuse, Recyclables, and Returnables accessible to insects / rodents.	N
				6-501.12	The physical facilities are not clean.	N
				6-501.16	Mops are not being properly stored.	N
				6-303.11	Insufficient lighting provided.	N