

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
ISABELLAS CAFE & BAKERY	REGULAR	2019-08-09	No	2-102.12	No Certified Food Protection Manager.	N
				2-103.11.(H)	Person in Charge did not ensure that employees are cooling food properly.	N
				4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-501.111.(C)	Pests found on premises due to not using proper methods to control them.	C
				3-305.11	Food not protected from contamination during storage.	N
				4-302.14	No chemical test kit available.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
ISABELLAS CAFE & BAKERY	REGULAR	2023-04-07	No	6-301.14	Hand wash signage not provided for employee hand sink or lavatory.	N
				6-202.11	Lights not shielded.	N
				6-303.11	Insufficient lighting provided.	N