

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
HILLTOP COFFEE SHOP	REGULAR	2018-10-04	No	3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.19.(A)	No written procedures maintained or available at the facility for food to be held with time as the only control.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
HILLTOP COFFEE SHOP	REGULAR	2019-10-03	No	4-602.11.(E)	Non-potentially hazardous food contact surfaces are not cleaned with proper frequency.	N
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				3-304.14.(B).(1)	Wiping cloths used for wiping counters and other equipment surfaces not held between uses in a chemical sanitizer.	N
HILLTOP COFFEE SHOP	REGULAR	2021-10-26	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				4-203.11	Food temperature measuring device(s) not accurate for its intended range of use.	N
				4-201.11	Equipment and/or utensils are not sufficiently durable.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
HILLTOP COFFEE SHOP	REGULAR	2022-10-25	No	2-102.11.(A). (B)	C: The person in charge could not demonstrate required knowledge, either by complying with this code and no critical violations during this inspection or not having a current CFPM certificate.	C
				3-301.11.(A). (B).(D)	Food employees are handling ready to eat foods with bare hands.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-602.13	Non-food contact surfaces are not cleaned at a frequency necessary to preclude accumulation of soil residues.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
DOUBLE GREAT COFFEE	REGULAR	2024-01-30	No	2-501.11	Eating Establishment does not have cleanup procedures of vomiting and diarrheal events or employees are not following procedures.	N
				5-103.11.(B)	Insufficient hot water supply.	C