

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
OHNO CAFE INC	REGULAR	2018-03-06	No		No Violations	
OHNO CAFE INC	REGULAR	2019-03-13	No	4-201.11	Equipment and/or utensils are not sufficiently durable.	N
OHNO CAFE INC	REGULAR	2020-03-04	No	6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
OHNO CAFE INC	REGULAR	2022-02-23	No		No Violations	
OHNO CAFE INC	REGULAR	2023-02-16	No	6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N
				6-501.14.(A)	Ventilation not clean.	N
OHNO CAFE INC	REGULAR	2024-02-13	No	2-103.11.(N)	Person in Charge did not ensure employees were informed of their responsibility to report to the Person in Charge about their health.	N
				6-101.11.(A)	Indoor surfaces are not properly constructed as to be smooth, durable, and easily cleanable or constructed of nonabsorbent material in areas of moisture.	N