

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
DENNYS # 6355	REGULAR	2018-02-15	No	4-201.11	Equipment and/or utensils are not sufficiently durable.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
DENNYS # 6355	REGULAR	2018-06-05	No	4-601.11.(A)	Equipment food-contact surfaces and utensils are not clean to sight and touch.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
DENNYS # 6355	REGULAR	2019-02-25	No	3-501.16.(A).(1)	Hot foods not maintained at a proper temperature of 135 F or more.	C
				3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
DENNYS # 6355	REGULAR	2019-07-19	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				3-501.16.(B)	Shell eggs not stored in refrigerated equipment that maintains an ambient temperature of 45 F or colder.	C
				4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.12	The physical facilities are not clean.	N
				6-501.14.(A)	Ventilation not clean.	N
DENNYS # 6355	REGULAR	2020-01-08	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.14.(A)	Ventilation not clean.	N
DENNYS # 6355	REGULAR	2021-11-09	No	5-204.11.(A)	Hand wash facilities are not conveniently located in food preparation, food dispensing, or ware washing areas.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
				6-202.15	Outer openings are not protected from the entry of insects or rodents.	N
				4-601.11.(C)	Nonfood contact surfaces are not clean.	C
				6-501.14.(A)	Ventilation not clean.	N