

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
RIP CORD CAFE	REGULAR	2018-07-09	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				6-202.13	Insect control devices are improperly designed and constructed / located.	N
				3-305.11	Food not protected from contamination during storage.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N
RIP CORD CAFE	REGULAR	2021-05-19	No	4-204.112.(B). (C)	Cold or hot holding not equipped with integral or permanently fixed temperature measuring device.	N
				6-201.11	Floors, walls, and ceilings are not smooth and easily cleanable.	N
				6-201.13.(A)	Floor and wall junctures are not enclosed and sealed.	N
				6-501.12	The physical facilities are not clean.	N
RIP CORD CAFE	REGULAR	2023-09-01	No	3-304.12	Improper between-use storage of in-use utensils.	N
				4-903.11.(B)	Clean equipment and utensils not stored by being covered/ inverted/ or self draining.	N
				4-903.11.(D)	Single-Service or Single-Use Articles stored less than 6 inches off floor using dollies, pallets, racks, or skids not kept in closed packages.	N