

Establishment Name	Insp. Type	Insp. Date	Fail?	Rule Cited	Description of Violation	Severity
LA QUINTA INN & SUITES #2049	REGULAR	2018-03-12	No		No Violations	
LA QUINTA INN & SUITES #2049	REGULAR	2018-03-12	No		No Violations	
LA QUINTA INN & SUITES #2049	REGULAR	2019-03-22	No	3-501.16.(A).(2)	PHF not maintained at 41 F or less.	C
				4-204.112.(A)	Temperature measuring device not properly located.	N
LA QUINTA INN & SUITES #2049	REGULAR	2019-03-22	No		No Violations	
LA QUINTA INN & SUITES #2049	REGULAR	2020-02-28	No		No Violations	
LA QUINTA INN & SUITES #2049	REGULAR	2020-02-28	No		No Violations	
LA QUINTA INN & SUITES #2049	REGULAR	2022-02-17	No		No Violations	
LA QUINTA INN & SUITES #2049	REGULAR	2022-02-17	No		No Violations	
LA QUINTA INN & SUITES #2049	NEWOWNER	2022-04-28	No		No Violations	
LA QUINTA BY WYNDHAM	REGULAR	2023-04-05	No		No Violations	
LA QUINTA BY WYNDHAM	REGULAR	2023-04-05	No	4-703.11	Manual and/or mechanical methods of sanitizing incomplete.	C